

Hippo Transport: Overview of moving an adult male river hippo

ERIC BYRD , ZOOLOGICAL MANAGER OF AFRICAN ANIMALS CINCINNATI ZOO AND BOTANICAL GARDENS



Overview

- Background
- •Find your partners
- Crate
- •Coordination
- Transfer
 - Training & loading
 - Transfer and shipping
 - Unload
 - Timing
- •Quarantine
- Introductions



Background

18-year old male

Living on his own for roughly 10 years

SF Zoo team requested transfer to improve welfare

SSP Breeding Rec for 0.1 adult hippo at CZBG





First Step

Find your partners

- Crate owner
 - Sedgwick County Zoo Mike Q.
- Hauling company
 - [taken out of shared pres] (team of >25 pec
 - [taken out of shared pres]
- Shipping zoo
 - San Francisco Zoo Sandy F.
- Receiving zoo
 - Cincinnati Zoo and Botanical Gardens





Training and Loading

SF Zoo Team did training 2x/day

- Habituated animal to entering crate and bar being inserted behind him
- Mixed timing up to accommodate early morning or afternoon loading time






Coordination

Based in Cincinnati area

- Local partner with manatee rehabilitation moves
- Began coordinating flight availability in early July
 - Confirmed flight from SFO to CVG
- Notes:
 - Flights from SFO to CVG were no longer routinely direct
 - Re-routed freight
 - Scheduled two extra pilots due to flight time
 - Verified the plane cargo hold had clearance for the crate
 - Prepared lifts/skids/pallets/operators present at freight facilities with capacity for 10,000-lbs





















Timing

Started crating in San Francisco Sep 6th at 7:00am (10am EST)

Secured by 7:05am

 Hippo loaded and plane doors closed at SFO at 12:11pm (3pm EST)

Plane landed in CVG at 7:45 EST

Hippo arrived to CZBG at 9:30pm EST

Hippo unloaded out of crate at 10:12pm EST

Total time spent in crate for hippo: **12hr 12min**



Quarantine

Standard 30-day quarantine

- Abbreviated once two routine fecal samples were tested
- Same barn as other hippos
- Only thing we thought odd in this time period
 - He was not defecating reliably outside of the pool which gave us issues with collecting fecal samples





Introductions

In general, our understanding was that male/female hippo intros were fairly amicable

- Our experience was less amicable
 - Male was very subdued, incredibly tolerant of both females
 - Adult female was first and was pushy but nothing seemed dangerous
 - Moved forward with subadult hippo the same day
 - Male was being regularly scraped up via tusking by adult female so we began blunting her tusks
 - Began seeing 1.2 sleeping together in a pile (in water) by end of two weeks on habitat together





And then



Dec 15, 2021



April 5, 2022



Eric.byrd@cincinnatizoo.org